



TRACTOR CHAINS

The OFA Tapio tractor chains are manufactured from boron steel and hardened in the same specialized process as our forestry chains. The double spike gives good grip and the links lie well against the tire surface giving good driving comfort on forest roads and agricultural roads, on ice and mud.

The Tapio chains are extremely well suited for forestry tractor and agricultural use. Tapio tractor chains are widely used for agri tractors, forest tractors, small skidders and construction machines.

Tapio

Tapio 9




≤ 14.9"

The Tapio 9 has 9 mm twisted chain link with two 10 mm studs. Recommended for tractors with smaller tire sizes.



Tapio 9



Technical specifications

Tread chain	diam. 9
Stud	diam. 10 mm
Side chain	diam. 8 mm

Tapio 11




The Tapio 11 has 11 mm twisted chain link with two 11 mm studs. This chain is recommended for bigger tractor and its bigger tires.

Can be used also in forest operations in forest tractors, small skidders and lightweight forwarders.

Technical specifications

Tread chain	diam. 11 mm
Stud	diam. 11 mm
Side chain	diam. 9 mm



SNOW CHAINS

Tapio 11 HD

Tapio 11 is also available for HD version. It has welded links connected to other side chain. This version is recommended for extreme forestry conditions.

Tapio 11 HD

Width	Rim	Tapio 11		Tapio 11 HD		Tapio 9	
		OFA code	Weight kg/pair	OFA code	Weight kg/pair	OFA code	Weight kg/pair
400/60	15.5"					OL9359746510	60
500/60		OL93597515	95				
13.6	16"	OL93597216	86			OL9359734010	66
35x19.00	16.1"	OL93597316	82				
19.0/45	17"					OL9359745710	59
500/50						OL9359762610	69
500/55						OL9359755110	75
400/55	17.5"					OL9359746510	60
500/40		OL93597316	82			OL9359754110	62
10.5-18	18"					OL9359691610	63
12.5						OL9359737010	65
12.5/80						OL9359737010	65
250/80						OL9359682010	59
340/80						OL9359734010	66
365/70		OL93597216	86			OL9359734010	66
15	19.5"					OL9359701910	71
8.3	20"					OL9359682010	59
9.5						OL9359692010	63
10.5						OL9359701210	67
11.2						OL9359702010	68
12.4						OL9359722010	66
12.5						OL9359722010	66
13.6						OL9359722110	72
14.00						OL9359734410	87
14.5						OL9359742010	71
14.9						OL9359732910	80
16.00		OL93597414	124	OL93597414HD	124		
16/70		OL93597552	104			OL9359747010	75
22.0/70		OL93597527	131				
44x18.00						OL9359744110	83
260/80						OL9359692010	63
320/70						OL9359737010	65
335/80						OL9359732010	68
360/70						OL9359732010	68
360/80						OL9359722110	72
375/70						OL9359732010	68
375/75						OL9359742010	71
400/70						OL9359747010	75
405/70						OL9359747010	75
425/95		OL93597414	124	OL93597414HD	124		
500/45						OL9359754210	70
500/50		OL93597552	104	OL93597552HD	104	OL9359755210	82

Table continues >

Tapio 11

Tapio 11 HD

Tapio 9

Width	Rim	OFA code	Weight kg/pair	OFA code	Weight kg/pair	OFA code	Weight kg/pair
9.5	22"					OL9359702010	68
18	22.5"					OL9359744110	83
350/60		OL93597216	86				
400/55						OL9359746210	69
480/80		OL93597527	131	OL93597527HD	131		
500/45		OL93597545	104				
500/60		OL93597623	114	OL93597623HD	114	OL9359756210	86
550/45		OL93597552	104	OL93597552HD	104		
600/40						OL9359764210	85
600/45		OL93597602	120	OL93597602HD	120		
600/50		OL93597602	120	OL93597602HD	120	OL9359760110	90
620/50		OL93597602	120	OL93597602HD	120	OL9359765210	100
650/50		OL93597602	120	OL93597602HD	120	OL9359765210	100
8.3	24"					OL9359701210	67
9.5						OL9359692410	71
11.2						OL9359702410	75
12.4						OL9359712410	75
13.00		OL93597229	111	OL93597229HD	111	OL9359722810	84
13.6		OL93597225	103	OL93597225HD	103	OL9359722410	79
14.00		OL93597427	119	OL93597427HD	119	OL9359732810	93
14.9		OL93597325	110	OL93597325HD	110	OL9359732410	86
16.00		OL93597521	148				
16.00 L5		OL93597543	155				
16/70		OL93597405	107	OL93597405HD	107		
16.5/85		OL93597448	124				
16.9		OL93597414	124	OL93597414HD	124	OL9359772510	94
17.5L		OL93597442	119				
20		OL93597483	141				
22/70		OL93597483	141				
280/85						OL9359742010	71
320/70						OL9359742010	71
320/85		OL93597225	108	OL93597225HD	108		
340/80						OL9359712410	75
340/85		OL93597405	107	OL93597405HD	107	OL9359746410	81
360/70		OL93597225	108	OL93597225HD	108		
360/80		OL93597225	103	OL93597225HD	103	OL9359722410	79
380/70		OL93597405	107	OL93597405HD	107	OL9359746410	81
380/85		OL93597446	115	OL93597446HD	115	OL9359732410	86
400/80		OL93597325	110	OL93597325HD	110	OL9359732410	86
405/70		OL93597405	107	OL93597405HD	107		
420/65						OL9359746410	81
420/70		OL93597446	115	OL93597446HD	115	OL9359732410	86
420/85	24"	OL93597414	124	OL93597414HD	124		
440/65		OL93597446	115	OL93597446HD	115	OL9359744110	83
440/80		OL93597414	124	OL93597414HD	124	OL9359772510	94
450/70		OL93597442	119	OL93597442HD	119		
460/65		OL93597405	107	OL93597405HD	107	-	-
460/70		OL93597442	119				
460/75		OL93597414	124				
480/65		OL93597442	119	OL93597442HD	119	OL9359747410	90
480/70		OL93597414	124	OL93597414HD	124		
480/85						OL9359756010	109
500/65		OL93597442	119	OL93597442HD	119		
500/70		OL93597527	131	OL93597527HD	131		
500/85		OL93597521	148				
540/65		OL93597527	131	OL93597527HD	131		
650/45	24.5"	OL93597722	137				
14.00	25"	OL93597427	119	OL93597427HD	119		
15.5		OL93597340	118	OL93597340HD	118		
16.00		OL93597521	148	OL93597521HD	148		
17.5		OL93597414	124	OL93597414HD	124	OL9359772510	94
18.00		OL93597525	173	OL93597525HD	173		
20.5		OL93597521	148	OL93597521HD	148	OL9359722510	115
20.5 L5		OL93597522	164	OL93597522HD	164		
23.5		OL93597525	173	OL93597525HD	173		
23.5 L5		OL93597754	192	OL93597754HD	192		
26.5		OL93597625	200	OL93597625HD	200		
26.5 L5		OL93597627	218	OL93597627HD	218		
555/70		OL93597542	146	OL93597542HD	146		
600/65		OL93597624	154	OL93597624HD	154		
650/65		OL93597630	164	OL93597630HD	164		
14.9	26"	OL93597340	118	OL93597340HD	118		
16.9		OL93597414	124	OL93597414HD	124	OL9359741610	95

Width	Rim	Tapio 11		Tapio 11 HD		Tapio 9	
		OFA code	Weight kg/pair	OFA code	Weight kg/pair	OFA code	Weight kg/pair
18.4	26"	OL93597430	132	OL93597430HD	132	OL9359742910	101
23.1		OL93597525	173	OL93597525HD	173		
480/70		OL93597527	131	OL93597527HD	131	OL9359752910	98
520/70		OL93597483	141	OL93597483HD	141		
620/75		OL93597525	173				
500/60	26.5"	OL93597442	119	OL93597442HD	119	OL9359762910	95
540/60		OL93597527	131	OL93597527HD	131		
600/55		OL93597656	137	OL93597656HD	137		
700/50		OL93597624	154	OL93597624HD	154		
710/45		OL93597624	154	OL93597624HD	154		
11.2	28"					OL9359702810	83
12.4						OL9359712810	81
13.6		OL93597229	111	OL93597229HD	111	OL9359722810	84
14.9		OL93597427	119	OL93597427HD	119	OL9359732810	93
16.5/85						OL9359744010	100
16.9		OL93597428	132	OL93597428HD	132	OL9359744010	100
20.8		OL93597546	158	OL93597546HD	158		
280/85						OL9359737810	76
320/70						OL9359737810	76
320/85		OL93597325	110				
340/85		OL93597340	118	OL93597340HD	118	OL9359738810	88
380/70		OL93597388	116	OL93597388HD	116	OL9359738810	88
380/85		OL93597340	118	OL93597340HD	118	OL9359746810	96
400/80		OL93597427	119	OL93597427HD	119	OL9359732810	93
420/65		OL93597229	111	OL93597229HD	111		
420/70		OL93597448	124	OL93597448HD	124	OL9359746810	96
420/85		OL93597430	132	OL93597430HD	132	OL9359747810	104
440/65		OL93597442	119	OL93597442HD	119	OL9359772510	94
440/70		OL93597414	124	OL93597414DH	124		
440/80		OL93597428	132	OL93597428HD	132	OL9359744010	100
480/65		OL93597527	131	OL93597527HD	131	OL9359752910	98
480/70		OL93597430	132	OL93597430HD	132	OL9359747810	104
500/65		OL93597527	131	OL93597527HD	131	OL9359752910	98
500/70		OL93597430	132	OL93597430HD	132		
540/65		OL93597542	146	OL93597542HD	146	OL9359756010	109
600/60		OL93597521	148	OL93597521HD	148		
600/65		OL93597630	164	OL93597630HD	164		
620/70		OL93597525	173				
14.9	30"	OL93597331	127	OL93597331HD	127	OL9359733010	98
16.9		OL93597430	132	OL93597430HD	132	OL9359742910	101
18.4		OL93597434	142	OL93597434HD	142	OL9359743210	109
380/85		OL93597331	127	OL93597331HD	127	OL9359733010	98
420/70		OL93597331	127	OL93597331HD	127		
420/80		OL93597430	132				
420/85		OL93597483	141	OL93597483HD	141	OL9359748310	110
440/80		OL93597430	132	OL93597430HD	132	OL9359742910	101
460/85		OL93597484	158	OL93597484HD	158		
480/70		OL93597483	141	OL93597483HD	141	OL9359748310	110
480/75						OL9359748310	110
480/80		OL93597434	142	OL93597434HD	142	OL9359743210	109
500/85		OL93597522	164				
520/70		OL93597484	158	OL93597484HD	158		
520/75		OL93597484	158				
540/65		OL93597521	148	OL93597521HD	148	OL9359748310	110
540/70		OL93597543	155	OL93597543HD	155		
540/75		OL93597630	164				
580/65		OL93597630	164	OL93597630HD	164		
600/60						OL9359760310	123
600/65		OL93597630	164	OL93597630HD	164		
600/70		OL93597525	173	OL93597525HD	173		
600/55	30.5"	OL93597521	148	OL93597521HD	148		
600/60		OL93597630	164	OL93597630HD	164	OL9359760310	123
620/60		OL93597522	164	OL93597522HD	164		
650/55		OL93597630	164	OL93597630HD	164		
700/50		OL93597522	164				
750/60		OL93597754	192	OL93597754HD	192		
12.4	32"					OL9359713210	86
680/85		OL93597858	231				
18.00	33"	OL93597038	186	OL93597038HD	186		
12.00	34"	OL93597331	127	OL93597331HD	127		
16.9		OL93597434	142	OL93597434HD	142	OL9359743210	109
18.4		OL93597534	154	OL93597534HD	154	OL9359753310	116
20.8		OL93597538	164	OL93597538HD	164		


Table continues >

Width	Rim	Tapio 11		Tapio 11 HD		Tapio 9	
		OFA code	Weight kg/pair	OFA code	Weight kg/pair	OFA code	Weight kg/pair
380/85	34"	OL93597239	138				
420/85		OL93597484	158	OL93597484HD	158	OL9359747510	116
440/80		OL93597434	142	OL93597434HD	142		
460/85		OL93597488	165	OL93597488HD	165	OL9359757210	126
480/70		OL93597484	158	OL93597484HD	158	OL9359747510	116
480/80		OL93597534	154	OL93597534HD	154	OL9359753310	116
500/70		OL93597638	151	OL93597638HD	151		
500/85		OL93597488	165	OL93597488HD	165		
520/65		OL93597638	151	OL93597638HD	151		
520/70		OL93597488	165	OL93597488HD	165	OL9359757210	126
540/65		OL93597546	158	OL93597546HD	158	OL9359756110	122
540/80		OL93597538	164	OL93597538HD	164		
580/65		OL93597525	173	OL93597525HD	173		
600/65		OL93597525	173	OL93597525HD	173	OL9359766210	132
600/70		OL93597734	184	OL93597734HD	184		
620/60		OL93597525	173	OL93597525HD	173		
650/65		OL93597636	185	OL93597636HD	185		
650/75	OL93597659	197	OL93597659HD	197			
700/55	OL93597734	184	OL93597734HD	184			
700/70	OL93597654	207	OL93597654HD	207			
710/60	OL93597658	186	OL93597658HD	186			
710/75	OL93597739	223	OL93597739HD	223			
750/50	OL93597754	192	OL93597754HD	192			
12.4	36"					OL9359713610	92
13.6		OL93597237	129	OL93597237HD	129	OL9359723610	99
12.00	38"					OL9359723810	105
12.4						OL9359713810	97
13.6		OL93597239	138	OL93597239HD	138	OL9359723810	105
14.00		OL93597239	138	OL93597239HD	138		
14.9		OL93597339	144	OL93597339HD	144	OL9359733810	109
15.5		OL93597339	144	OL93597339HD	144	OL9359733810	109
16.9		OL93597534	154	OL93597534HD	154	OL9359753310	116
18.4		OL93597538	164	OL93597538HD	164	OL9359753710	129
20.4		OL93597038	186	OL93597038HD	186		
20.8		OL93597038	186	OL93597038HD	186		
340/85		OL93597239	138	OL93597239HD	138		
380/80		OL93597239	138	OL93597239HD	138	OL9359723810	105
420/85		OL93597488	165	OL93597488HD	165		
460/85		OL93597528	170	OL93597528HD	170	OL9359757810	138
480/70		OL93597488	165	OL93597488HD	165		
480/80		OL93597538	164	OL93597538HD	164	OL9359753710	150
500/60		OL93597638	151	OL93597638HD	151		
520/65	OL93597488	165	OL93597488HD	165			
520/70	OL93597528	170	OL93597528HD	170	OL9359757810	138	
520/85	OL93597588	194	OL93597588HD	194	OL9359757310	150	
540/65	OL93597488	165	OL93597488HD	165	OL9359756310	127	
540/70	OL93597038	186	OL93597038HD	186			
540/75	OL93597038	186	OL93597038HD	186			
540/80	OL93597038	186	OL93597038HD	186			
580/70	OL93597588	194	OL93597588HD	194	OL9359757310	150	
600/60	OL93597637	175	OL93597637HD	175			
600/65	OL93597636	185	OL93597636HD	185	OL9359766310	139	
600/70	OL93597588	194	OL93597588HD	194			
600/85	OL93597739	223					
650/60	OL93597658	186	OL93597658HD	186			
650/65	OL93597659	197	OL93597659HD	197	OL9359757310	150	
650/75	OL93597739	223	OL93597739HD	223			
650/85	OL93597742	245	OL93597742HD	245			
700/65	OL93597654	207	OL93597654HD	207			
710/65	OL93597654	207	OL93597654HD	207			
710/70	OL93597739	223	OL93597739HD	223			
800/70	OL93597836	254	OL93597836HD	254			
18.4-42	42"	OL93597038	186				
20.8		OL93597654	207	OL93597654HD	207	OL9359757410	156
460/85		OL93597038	186				
520/85		OL93597654	207				
580/70		OL93597654	207	OL93597654HD	207	OL9359757410	156
620/70		OL93597654	207	OL93597654HD	207		
650/65		OL93597654	207	OL93597654HD	207	OL9359766410	163
710/60		OL93597739	223	OL93597739HD	223	OL9359776410	168
710/70		OL93597742	245	OL93597742HD	245	OL9359777210	186
710/75		OL93597752	255	OL93597752HD	255		

Installing tractor chains



1. Put the chains behind the tire with the fasteners against the tractor and the studs facing up.



2. Fasten the rope in the middle of the chain.



3. Put the rope on the top of the tire.



4. Drive forward one circuit, keep the chain narrow.



5. When the chain ends meet, connect the links by slanted gap couplings.



6. Fasten the chain with the fasteners inside first and then outside.



7. A good rule is that your hand should fit between the tire and the chain. Do not tension too tight. Check tightness of the shackles.



8. Check the tightening of the chain after a short test drive.