

## SNOW CHAINS

### EasyOn 5



A lightweight chain in 5 mm for tractors and industrial machines with vertical bar studs for all types of paved roads.

This model provides good grip and driving comfort, particularly for snow-cleaning and municipal service. EasyOn 5 is fast and easy to install and remove from tires and can easily be shortened to provide an exact fit. Please note the recommended maximum driving speed of 30 km/h.



EasyOn 5

#### Technical specifications

|                   |            |
|-------------------|------------|
| Square-link chain | 5 mm       |
| Bar stud          | 5 mm       |
| Side chain        | diam. 6 mm |



EasyOn chain with vertical bar studs.

### EasyOn 6.5



A new 6.5 mm square wire non-twisted chain with bar studs. Optimal chain for snow cleaning, municipal service and other on-road operations when lighter chain is required.

Recommended for bigger machines than EasyOn 5. Bar studs create excellent grip and due to light structure, EasyOn 6.5 is light to handle in every conditions.



EasyOn 6.5

#### Technical specifications

|                   |            |
|-------------------|------------|
| Square-link chain | 6,5 mm     |
| Bar stud          | 6,5 mm     |
| Side chain        | diam. 6 mm |

## Tapio-NK 9



Tapio-NK 9 is a non-studded single diamond chain made of 9 mm square link wire.

Tapio-NK 9 is recommended for snow-cleaning and construction machines. Also very recommendable in use at harbors or warehouse buildings when you need to drive inside and outside. Tapio-NK 9 can be used also in forest tractors when studded chains are not allowed.

Lifetime of the Tapio-NK 9 chain can be increased by reversing the chain. Remember to remove all remarkable burr from chain link weldings which may damage tire.

### Technical specifications

Square-link chain 9 mm  
No studs  
Side chain diam. 8 mm



Tapio-NK 9

## Tapio-NK 9 2D



Tapio-NK 9 2D has the same 9 mm square non-twist chain as Tapio-NK 9. It has double diamond pattern to increase grip, tire protection and wear resistance. Tension chain is standard for all Tapio-NK 9 2D tire chains.

This chain is long lifetime choice for snow-cleaning, municipal service and forestry use when non-studded traction chain is needed. Lifetime of the chain can be increased by reversing the chain. Remember to remove all remarkable burr from chain link weldings which may damage tire.

### Technical specifications

Square-link chain 9 mm  
No studs  
Side chain diam. 8 mm



Tapio-NK 9 2D

| Width        | Rim   | EasyOn 5 |                | EasyOn 6.5 |                | Tapio-NK 9 |                | Tapio-NK 9 2D |                |
|--------------|-------|----------|----------------|------------|----------------|------------|----------------|---------------|----------------|
|              |       | OFA code | Weight kg/pair | OFA code   | Weight kg/pair | OFA code   | Weight kg/pair | OFA code      | Weight kg/pair |
| 29x12        | 15"   | OL123347 | 19             |            |                |            |                |               |                |
| 31x12.5      |       | OL123358 | 22             |            |                |            |                |               |                |
| 31x13.5 NHS  |       | OL123358 | 22             |            |                |            |                |               |                |
| 31x15.50 NHS |       | OL123358 | 22             |            |                |            |                |               |                |
| 33x12.50 NHS |       | OL123367 | 22             |            |                |            |                |               |                |
| 36x13.50 NHS |       | OL123367 | 22             |            |                |            |                |               |                |
| 11.5/80-     | 15.3" |          |                |            |                | OL93558015 | 47             |               |                |
| 400/60       | 15.5" | OL123455 | 21             |            |                | OL93558465 | 55             |               |                |
| 500/55       |       | OL123581 | 27             |            |                |            |                |               |                |
| 500/60       |       | OL123581 | 27             |            |                |            |                |               |                |
| 11.00        | 16"   | OL123369 | 22             |            |                |            |                |               |                |
| 12.4         |       | OL123369 | 22             |            |                |            |                |               |                |
| 13.6         |       | OL123386 | 25             |            |                |            |                |               |                |
| 255/100      |       |          |                |            |                | OL93558916 | 51             |               |                |
| 12 NHS       | 16.5" | OL123358 | 22             |            |                |            |                |               |                |
| 15.0/55      | 17"   | OL123455 | 21             |            |                | OL93558348 | 54             |               |                |
| 500/50       |       | OL123581 | 27             |            |                | OL93558517 | 66             |               |                |
| 14           | 17.5" | OL123369 | 22             |            |                |            |                |               |                |
| 400/55       |       |          |                |            |                | OL93558465 | 55             |               |                |

Table continues >

| Width        | Rim   | EasyOn 5 |                   | EasyOn 6.5 |                   | Tapio-NK 9 |                   | Tapio-NK 9 2D |                   |
|--------------|-------|----------|-------------------|------------|-------------------|------------|-------------------|---------------|-------------------|
|              |       | OFA code | Weight<br>kg/pair | OFA code   | Weight<br>kg/pair | OFA code   | Weight<br>kg/pair | OFA code      | Weight<br>kg/pair |
| 9.5          | 18"   |          |                   |            | -                 | OL93558918 | 50                |               |                   |
| 12.5/80      |       | OL123386 | 25                |            |                   |            |                   |               |                   |
| 12.5 MPT     |       | OL123386 | 25                |            |                   | OL93558924 | 59                |               |                   |
| 335/80       |       |          |                   |            |                   | OL93558335 | 61                |               |                   |
| 340/65       |       |          |                   |            |                   | OL93558348 | 54                |               |                   |
| 340/80       |       | OL123386 | 25                |            |                   |            |                   |               |                   |
| 355/60       |       |          |                   |            |                   | OL93558348 | 54                |               |                   |
| 355/65       |       |          |                   |            |                   | OL93558348 |                   |               |                   |
| 360/70       |       | OL123386 | 25                |            |                   | -          |                   |               |                   |
| 365/70       |       |          |                   |            |                   | OL93588365 | 62                |               |                   |
| 405/70       |       | OL123386 | 25                |            |                   |            |                   |               |                   |
| 15           | 19.5" | OL123481 | 25                |            |                   |            |                   |               |                   |
| 18           |       | OL123515 | 31                |            |                   | OL93558818 | 72                |               |                   |
| 405/70       |       | OL123386 | 25                |            |                   |            |                   |               |                   |
| 11.2         | 20"   | OL123393 | 25                |            |                   | OL93558020 | 55                |               |                   |
| 12.4         |       | OL123386 | 25                |            |                   | OL93558220 | 59                |               |                   |
| 12.5         |       | OL123386 | 25                | OL126258   | 36                | OL93558220 | 59                |               |                   |
| 13.6         |       | OL123417 | 31                | OL126357   | 38                |            |                   |               |                   |
| 13/80        |       | OL123386 | 25                |            |                   |            |                   |               |                   |
| 14.00        |       | OL123429 | 32                |            |                   | OL93558340 | 83                |               |                   |
| 14.5 MPT     |       | OL123417 | 31                |            |                   | OL93558370 | 66                |               |                   |
| 14.9         |       | OL123417 | 31                | OL126375   | 42                | OL93558320 | 73                |               |                   |
| 16.00        |       | OL123541 | 35                |            |                   |            |                   |               |                   |
| 16/70        |       |          |                   |            |                   | OL93558440 | 69                |               |                   |
| 16.5/85      |       | OL123534 | 35                |            |                   | OL93558440 | 69                |               |                   |
| 280/85       |       | OL123393 | 25                |            |                   |            |                   |               |                   |
| 300/70       |       | OL123367 | 22                |            |                   |            |                   |               |                   |
| 320/70       |       | OL123386 | 25                |            |                   | OL93558371 | 61                |               |                   |
| 320/85       |       |          |                   |            |                   | OL93558362 | 68                |               |                   |
| 335/80       |       | OL123386 | 25                |            |                   | OL93558362 | 68                |               |                   |
| 340/75       |       | OL123386 | 25                |            |                   |            |                   |               |                   |
| 355/80       |       | OL123320 | 30                |            |                   |            |                   |               |                   |
| 360/70       |       | OL123386 | 25                |            |                   | OL93558362 | 68                |               |                   |
| 360/80       |       | OL123417 | 31                |            |                   | OL93558362 | 68                |               |                   |
| 365/80       |       |          |                   | OL126357   | 38                |            |                   |               |                   |
| 365/85       |       | OL123320 | 30                |            |                   | OL93558320 | 79                |               |                   |
| 405/70       |       |          |                   |            |                   |            |                   |               |                   |
| 375/75       |       |          |                   |            |                   | OL93558370 | 66                |               |                   |
| 380/70       |       |          |                   |            |                   | OL93558383 | 68                |               |                   |
| 405/70       |       | OL123417 | 31                |            |                   | OL93558440 | 69                |               |                   |
| 420/70       |       |          |                   |            |                   | OL93558441 | 76                |               |                   |
| 41x14.00 NHS |       | OL123320 | 30                |            |                   |            |                   |               |                   |
| 425/75       |       | OL123515 | 31                |            |                   |            |                   |               |                   |
| 44x18.00 NHS |       | OL123534 | 35                |            |                   |            |                   |               |                   |
| 475/65       |       | OL123515 | 31                |            |                   |            |                   |               |                   |
| 500/45       |       | OL123581 | 27                |            |                   |            |                   |               |                   |
| 18-22.5      | 22.5" | OL123534 | 35                |            |                   |            |                   |               |                   |
| 400/55       |       |          |                   |            |                   | OL93558462 | 61                |               |                   |
| 425/65       |       | OL123417 | 31                |            |                   |            |                   |               |                   |
| 445/65       |       | OL123515 | 31                |            |                   |            |                   |               |                   |
| 500/45       |       | OL123581 | 27                |            |                   |            |                   |               |                   |
| 500/60       |       | OL123534 | 35                |            |                   | OL93558522 | 80                | OL70725023    | 109               |
| 550/45       |       | OL123534 | 35                |            |                   | OL93558552 | 72                |               |                   |
| 600/40       |       |          |                   |            |                   | OL93558623 | 78                |               |                   |
| 600/50       |       | OL123634 | 34                |            |                   |            |                   |               |                   |
| 600/55       |       |          |                   |            |                   | OL93558622 | 99                |               |                   |
| 650/50       |       | OL123647 | 38                |            |                   |            |                   |               |                   |
| 9.5          | 24"   |          |                   |            |                   | OL93558924 | 59                |               |                   |
| 11.2         |       | OL123313 | 28                |            |                   | OL93558024 | 60                |               |                   |
| 12.00        |       | OL123429 | 32                |            |                   |            |                   |               |                   |
| 12.4         |       | OL123320 | 30                | OL126375   | 42                |            |                   |               |                   |
| 13.00        |       | OL123454 | 35                |            |                   |            |                   |               |                   |
| 13.6         |       | OL123417 | 31                | OL126376   | 42                | OL93558128 | 76                |               |                   |
| 14.00        |       | OL123454 | 35                | OL126476   | 43                | OL93558330 | 84                |               |                   |
| 14.9/80      |       | OL123417 | 31                |            |                   |            |                   |               |                   |

| Width      | Rim   | EasyOn 5 |                | EasyOn 6.5 |                | Tapio-NK 9 |                | Tapio-NK 9 2D |                |
|------------|-------|----------|----------------|------------|----------------|------------|----------------|---------------|----------------|
|            |       | OFA code | Weight kg/pair | OFA code   | Weight kg/pair | OFA code   | Weight kg/pair | OFA code      | Weight kg/pair |
| 14.9       | 24"   | OL123429 | 32             |            |                | OL93558324 | 78             |               |                |
| 15.5/80    |       | OL123429 | 32             |            |                |            |                |               |                |
| 16/70      |       |          |                |            |                | OL93558405 | 74             |               |                |
| 16.00      |       | OL123579 | 41             |            |                | OL93558416 | 98             |               |                |
| 16.5/85    |       | OL123552 | 37             |            |                | OL93558405 | 74             |               |                |
| 16.9       |       | OL123552 | 37             | OL126495   | 50             | OL93558328 |                | OL70721625    | 124            |
| 17.5L      |       | OL123534 | 35             |            |                |            |                |               |                |
| 18.00      |       | OL123608 | 46             |            |                | OL93558328 | 84             |               |                |
| 18.4       |       | OL123552 | 37             | OL126510   | 55             |            |                |               |                |
| 19.5L      |       | OL123541 | 35             |            |                |            |                | OL70725223    | 128            |
| 21L        |       | OL123660 | 40             |            |                |            |                |               |                |
| 280/85     |       | OL123313 | 28             |            |                |            |                | OL70725223    | 128            |
| 320/70     |       | OL123320 | 30             |            |                |            |                |               |                |
| 320/85     |       | OL123320 | 30             | OL126375   | 42             |            |                |               |                |
| 340/85     |       | OL123417 | 31             | OL126375   | 42             | OL93558374 | 66             |               |                |
| 360/70     |       | OL123417 | 31             | OL126375   | 42             | OL93558374 | 66             |               |                |
| 360/80     |       |          |                | OL126376   | 42             | OL93558524 | 73             |               |                |
| 380/70     |       | OL123417 | 31             | OL126376   | 42             | OL93558405 | 74             |               |                |
| 380/85     |       | OL123429 | 32             | OL126493   | 47             | OL93558524 | 73             |               |                |
| 400/80     |       | OL123429 | 32             | OL126493   | 47             |            |                |               |                |
| 405/70     |       | OL123515 | 31             |            |                | OL93558405 | 74             |               |                |
| 420/65     |       | OL123515 | 31             |            |                |            |                |               |                |
| 420/70     |       | OL123534 | 35             | OL126493   | 47             | OL93558446 | 82             |               |                |
| 420/85     |       | OL123552 | 37             | OL126593   | 51             | OL93558446 | 82             |               |                |
| 440/65     |       | OL123534 | 35             | OL126478   | 42             |            |                |               |                |
| 440/80     |       | OL123552 | 37             | OL126495   | 50             |            |                |               |                |
| 460/65     |       | OL123534 | 35             | OL126478   | 42             | OL93558464 | 74             |               |                |
| 480/65     |       | OL123534 | 35             | OL126477   | 43             | OL93558480 | 87             | OL70725025    | 117            |
| 480/70     |       | OL123541 | 35             | OL126593   | 51             |            |                | OL70724729    | 125            |
| 495/70     |       |          |                |            |                |            |                | OL70725223    | 128            |
| 520/65     |       | OL123552 | 37             | OL126593   | 51             | OL93558530 | 95             | OL70725223    | 128            |
| 540/65     |       | OL123647 | 38             | OL126593   | 51             |            |                | OL70725025    | 117            |
| 445/70 MPT |       | OL123534 | 35             |            |                | OL93558504 | 96             |               |                |
| 13.00      | 25"   | OL123454 | 35             |            |                |            |                |               |                |
| 14.005     |       | OL123454 | 35             |            |                |            |                | OL70721426    | 128            |
| 15.5       |       | OL123429 | 32             |            |                | OL93558340 | 83             |               |                |
| 16.00      |       | OL123579 | 41             |            |                | OL93558425 | 108            | OL70724435    | 155            |
| 16.00 L5   |       |          |                | OL126495   | 50             | OL93558424 | 107            |               |                |
| 17.5       |       | OL123552 | 37             |            |                | OL93558725 | 92             | OL70721726    | 126            |
| 18.00      |       | OL123608 | 46             |            |                | OL93558825 | 123            |               |                |
| 20.5       |       | OL123698 | 45             | OL126549   | 70             | OL93558525 | 111            | OL70722026    | 150            |
| 23.5       |       | OL123706 | 49             | OL126549   | 70             | OL93558325 | 128            |               |                |
| 26.5       |       |          |                |            |                | OL93558625 | 151            |               |                |
| 445/95     |       | OL123572 | 40             |            |                |            |                |               |                |
| 600/60     |       | OL123647 | 38             |            |                | OL93558542 | 102            | OL70725427    | 142            |
| 600/60     |       | OL123647 | 38             |            |                |            |                |               |                |
| 750/65     |       |          |                |            |                | OL93558765 | 143            |               |                |
| 16.9       | 26"   | OL123552 | 37             | OL126411   | 54             |            |                |               |                |
| 18.4       |       | OL123572 | 40             | OL126511   | 56             | OL93558430 | 96             | OL70721631    | 138            |
| 23.1       |       | OL123706 | 49             |            |                | OL93558325 | 128            |               |                |
| 480/70     |       | OL123552 | 37             | OL126510   | 55             | OL93558482 | 92             |               |                |
| 520/70     |       | OL123660 | 40             |            |                | OL93558483 | 106            |               |                |
| 540/65     |       | OL123647 | 38             | OL126511   | 56             |            |                | OL70725425    | 136            |
| 400/65     | 26.5" | OL123417 | 31             |            |                |            |                |               |                |
| 500/60     |       | OL123541 | 35             |            |                | OL93558502 | 90             | OL70725027    | 123            |
| 540/60     |       | -        |                |            |                | OL93558544 | 95             |               |                |
| 600/55     |       | OL123647 | 38             | OL126693   | 54             | OL93558626 | 103            |               |                |
| 11.2       | 28"   | OL123313 | 28             |            |                | OL93558028 | 68             |               |                |
| 12.4       |       | OL123429 | 32             |            |                | OL93558128 | 76             |               |                |
| 13.6       |       | OL123429 | 32             | OL126394   | 46             | OL93558132 | 80             |               |                |
| 14.9       |       | OL123454 | 35             | OL126494   | 48             | OL93558328 | 84             |               |                |
| 16.5/85    |       | OL123552 | 37             |            |                |            |                |               |                |
| 16.9       |       | OL123552 | 37             | OL126412   | 51             | OL93558330 | 88             | OL70721629    | 132            |
| 18.4       |       | OL123572 | 40             |            |                |            |                |               |                |
| 19.5       |       | OL123572 | 40             |            |                |            |                |               |                |

Table continues &gt;

| Width  | Rim   | EasyOn 5 |                | EasyOn 6.5 |                | Tapio-NK 9 |                | Tapio-NK 9 2D |                |
|--------|-------|----------|----------------|------------|----------------|------------|----------------|---------------|----------------|
|        |       | OFA code | Weight kg/pair | OFA code   | Weight kg/pair | OFA code   | Weight kg/pair | OFA code      | Weight kg/pair |
| 280/85 | 28"   | OL123313 | 28             |            |                |            |                |               |                |
| 320/70 |       | OL123320 | 30             |            |                |            |                |               |                |
| 320/85 |       | OL123320 | 30             |            |                |            |                |               |                |
| 340/85 |       | OL123429 | 32             | OL126394   | 46             | OL93558340 | 83             |               |                |
| 360/70 |       | OL123429 | 32             | OL126394   | 46             |            |                |               |                |
| 380/70 |       | OL123429 | 32             | OL126394   | 46             | OL93558340 | 83             |               |                |
| 380/85 |       | OL123454 | 35             | OL126494   | 48             | OL93558725 | 92             |               |                |
| 400/80 |       | OL123454 | 35             | OL126494   | 48             |            |                |               |                |
| 420/70 |       | OL123541 | 35             | OL126494   | 48             | OL93558725 | 92             | OL70724729    | 125            |
| 420/75 |       | OL123552 | 37             |            |                | OL93558725 | 92             |               |                |
| 420/85 |       | OL123552 | 37             | OL126511   | 56             | OL93558481 | 100            |               |                |
| 440/65 |       | OL123534 | 35             | OL126495   | 50             | OL93558480 | 87             |               |                |
| 440/80 |       | OL123552 | 37             | OL126412   | 51             |            |                |               |                |
| 480/60 |       | OL123541 | 35             |            |                |            |                |               |                |
| 480/65 |       | OL123541 | 35             | OL126411   | 54             | OL93558482 | 92             |               |                |
| 480/70 |       | OL123552 | 37             | OL126511   | 56             | OL93558481 | 100            |               |                |
| 480/80 |       | OL123572 | 40             |            |                |            |                |               |                |
| 500/65 |       | OL123552 | 37             | OL126593   | 51             |            |                | OL70725029    | 126            |
| 500/70 |       |          |                |            |                |            |                | OL70725425    | 136            |
| 520/60 |       | OL123660 | 40             | OL126593   | 51             |            |                |               |                |
| 520/65 |       | OL123660 | 40             | OL126594   | 54             |            |                | OL70725427    | 142            |
| 540/65 |       | OL123662 | 40             | OL126594   | 54             | OL93558542 | 102            | OL70725427    | 142            |
| 600/60 |       |          |                | OL126513   | 61             |            |                |               |                |
| 600/65 |       | OL123662 | 40             | OL126629   | 65             | OL93558629 | 116            | OL70726028    | 158            |
| 600/70 |       | OL123697 | 47             |            |                |            |                |               |                |
| 775/65 | 29"   |          |                |            |                | OL93558729 | 166            |               |                |
| 14.9   | 30"   | OL123454 | 35             |            |                | OL93558330 | 88             |               |                |
| 16.9   |       | OL123579 | 41             | OL126413   | 54             | OL93558430 | 96             | OL70721631    | 138            |
| 18.4   |       | OL123579 | 41             | OL126430   | 59             | OL93558434 | 106            | OL70721635    | 146            |
| 23.1   |       | OL123706 | 49             |            |                |            |                |               |                |
| 380/85 |       | OL123454 | 35             |            |                | OL93558450 | 92             |               |                |
| 420/70 |       | OL123552 | 37             |            |                | OL93558450 | 92             |               |                |
| 420/85 |       | OL123579 | 41             | OL126512   | 57             | OL93558483 | 106            | OL70725631    | 149            |
| 440/80 |       | OL123579 | 41             |            |                |            |                |               |                |
| 460/85 |       | OL123579 | 41             | OL126529   | 60             | OL93558484 | 111            |               |                |
| 480/70 |       | OL123572 | 40             | OL126512   | 57             | OL93558483 | 106            |               |                |
| 480/80 |       | OL123698 | 45             |            |                |            |                |               |                |
| 520/65 |       | OL123660 | 40             |            |                | OL93558540 | 107            |               |                |
| 520/70 |       | OL123698 | 45             |            |                | OL93558484 | 111            | OL70725231    | 151            |
| 540/65 |       | OL123698 | 45             | OL126512   | 57             | OL93558540 | 107            | OL70725631    | 149            |
| 540/70 |       |          |                | OL126529   | 60             | OL93558525 | 111            |               |                |
| 580/65 |       |          |                |            |                | OL93558580 | 121            |               |                |
| 600/65 |       |          |                | OL126629   | 65             | OL93558580 | 121            |               |                |
| 620/70 |       |          |                |            |                | OL93558630 | 139            |               |                |
| 620/75 |       | OL123706 | 49             | OL126648   | 74             |            |                | OL70726231    | 182            |
| 600/55 | 30.5" | OL123662 | 40             |            |                |            |                |               |                |
| 600/60 |       | OL123662 | 40             |            |                | OL93558629 | 116            |               |                |
| 12.4   | 32"   | OL123457 | 36             |            |                | OL93558132 | 80             |               |                |
| 24.5   |       | OL123723 | 52             |            |                |            |                |               |                |
| 320/85 |       | OL123457 | 36             |            |                |            |                |               |                |
| 650/75 |       | OL123723 | 52             |            |                |            |                |               |                |
| 800/65 |       |          |                |            |                | OL93558832 | 173            |               |                |
| 16.9   | 34"   | OL123579 | 41             | OL126430   | 59             | OL93558434 | 106            | OL70721635    | 146            |
| 18.4   |       | OL123608 | 46             | OL126448   | 63             | OL93558438 | 112            | OL70721835    | 155            |
| 20.8   |       | OL123740 | 53             | OL126548   | 69             | OL93558540 | 107            | OL70721839    | 168            |
| 23.1   |       | OL123723 | 52             |            |                | OL93558234 | 143            |               |                |
| 420/85 |       | OL123698 | 45             | OL126530   | 61             | OL93558484 | 111            | OL70725433    | 157            |
| 440/80 |       | OL123579 | 41             | OL126430   | 59             |            |                | OL70724435    | 155            |
| 460/85 |       | OL123608 | 46             | OL126547   | 68             | OL93558488 | 117            | OL70725235    | 165            |
| 480/70 |       | OL123698 | 45             | OL126530   | 61             | OL93558484 | 111            | OL70725231    | 151            |
| 480/80 |       | OL123608 | 46             | OL126531   | 61             |            |                | OL70724834    | 160            |
| 520/65 |       |          |                |            |                |            |                | OL70725635    | 156            |
| 520/70 |       | OL123698 | 45             | OL126547   | 68             | OL93558488 | 117            | OL70725235    | 165            |
| 540/65 |       | OL123697 | 47             | OL126531   | 61             | OL93558546 | 113            | OL70725433    | 157            |
| 540/70 |       | OL123697 | 47             | OL126547   | 68             |            |                |               |                |

Table continues &gt;

| Width  | Rim | EasyOn 5 |                | EasyOn 6.5 |                | Tapio-NK 9 |                | Tapio-NK 9 2D |                |     |
|--------|-----|----------|----------------|------------|----------------|------------|----------------|---------------|----------------|-----|
|        |     | OFA code | Weight kg/pair | OFA code   | Weight kg/pair | OFA code   | Weight kg/pair | OFA code      | Weight kg/pair |     |
| 600/65 | 34" | OL123706 | 49             | OL126547   | 68             | OL93558325 | 128            | OL70726635    | 170            |     |
| 620/60 |     |          |                | OL126547   | 68             |            |                |               |                |     |
| 620/75 |     |          |                | OL126666   | 79             |            |                | OL70726235    | 195            |     |
| 650/65 |     |          | OL123723       | 52         | OL126648       | 74         |                | OL70726539    | 183            |     |
| 650/75 |     |          | OL123746       | 56         |                |            | OL93558659     | 150           |                |     |
| 700/55 |     |          |                |            |                |            |                | OL70727035    | 179            |     |
| 700/70 |     |          |                |            |                |            | OL93558738     | 157           |                |     |
| 12.4   |     | 36"      | OL123457       | 36         |                |            | OL93558136     | 88            | OL70727735     | 208 |
| 13.6   |     |          |                | OL123478   | 39             | OL126329   | 54             | OL93558236    | 96             |     |
| 15.5   |     |          |                | OL123493   | 41             |            |                |               |                |     |
| 320/85 |     |          | OL123457       | 36         |                |            |                |               |                |     |
| 340/85 |     |          | OL123478       | 39         |                |            |                |               |                |     |
| 13.6   | 38" | OL123478 | 39             | OL126330   | 54             | OL93558238 | 101            |               |                |     |
| 14.9   |     |          | OL123493       | 41         |                | OL93558338 | 104            |               |                |     |
| 15.5   |     |          | OL123579       | 41         |                | OL93558338 | 104            |               |                |     |
| 16.9   |     |          | OL123608       | 46         | OL126448       | 63         | OL93558438     | 112           | OL70721835     | 155 |
| 18.4   |     |          | OL123608       | 46         | OL126548       | 69         | OL93558538     | 128           | OL70721839     | 168 |
| 20.4   |     |          |                |            | OL126566       | 74         |                |               |                |     |
| 20.8   |     |          | OL123740       | 53         | OL126566       | 74         | OL93558838     | 140           | OL70722039     | 186 |
| 340/85 |     |          | OL123478       | 39         |                |            |                |               |                |     |
| 380/80 |     |          | OL123493       | 41         |                |            |                |               |                |     |
| 400/75 |     |          | OL123579       | 41         |                |            |                |               |                |     |
| 420/85 |     | OL123608 | 46             | OL126448   | 63             | OL93558488 | 117            | OL70724834    | 160            |     |
| 460/85 |     | OL123740 | 53             | OL126548   | 69             | OL93558528 | 133            | OL70724639    | 179            |     |
| 480/70 |     | OL123608 | 46             | OL126448   | 63             | OL93558488 | 117            | OL70725235    | 165            |     |
| 480/80 |     | OL123608 | 46             | OL126548   | 69             |            |                | OL70721839    | 168            |     |
| 500/60 |     | OL123698 | 45             |            |                |            |                |               |                |     |
| 500/70 |     | OL123608 | 46             |            |                |            |                |               |                |     |
| 520/70 |     | OL123740 | 53             | OL126548   | 69             | OL93558528 | 133            | OL70725739    | 174            |     |
| 520/80 |     | OL123740 | 53             | OL126566   | 74             |            |                | OL70726039    | 184            |     |
| 520/85 |     | OL123740 | 53             | OL126566   | 74             | OL93558588 | 144            | OL70725239    | 192            |     |
| 540/65 |     | OL123697 | 47             | OL126547   | 68             | OL93558548 | 122            | OL70725437    | 166            |     |
| 540/75 |     | OL123740 | 53             | OL126566   | 74             | OL93558549 | 134            | OL70726039    | 184            |     |
| 540/80 |     | OL123740 | 53             | OL126566   | 74             |            |                | OL70725839    | 186            |     |
| 580/70 |     | OL123746 | 56             | OL126666   | 79             | OL93558588 | 144            | OL70725839    | 186            |     |
| 580/80 |     | OL123746 | 56             |            |                |            |                |               |                |     |
| 600/50 |     |          |                | OL126531   | 61             |            |                |               |                |     |
| 600/55 |     | OL123706 | 49             |            |                |            |                |               |                |     |
| 600/60 |     | OL123723 |                |            |                | OL93558637 | 133            | OL70726639    | 177            |     |
| 600/65 |     | OL123723 | 52             | OL126648   | 74             | OL93558636 | 140            | OL70726039    | 184            |     |
| 600/85 |     |          |                | OL126784   | 87             |            |                | OL70727139    | 224            |     |
| 650/55 |     | OL123706 | 49             |            |                |            |                |               |                |     |
| 650/60 |     | OL123723 | 52             | OL126648   | 74             | OL93558657 | 139            | OL70726539    | 183            |     |
| 650/65 |     | OL123746 | 56             | OL126784   | 87             | OL93558659 | 150            | OL70726537    | 198            |     |
| 650/75 |     | OL123766 | 58             | OL126784   | 87             | OL93558656 | 168            | OL70726739    | 223            |     |
| 650/85 |     |          |                | OL126802   | 94             | OL93558658 | 181            | OL70726839    | 233            |     |
| 710/60 |     |          |                | OL126667   | 82             | OL93558738 | 157            |               |                |     |
| 710/70 |     |          |                | OL126784   | 87             | OL93558739 | 168            | OL70727139    | 224            |     |
| 20.8   | 42" | OL123760 | 56             | OL126684   | 81             |            |                | OL70722043    | 200            |     |
| 520/85 |     |          | OL123760       | 56         | OL126684       | 81         |                | OL70725243    | 212            |     |
| 580/70 |     |          | OL123746       | 56         | OL126684       | 81         | OL93558589     | 151           | OL70722043     | 200 |
| 620/70 |     |          | OL123746       | 56         | OL126784       | 87         |                |               | OL70726243     | 212 |
| 620/80 |     |          |                |            | OL126802       | 94         |                |               |                |     |
| 650/60 |     |          | OL123746       | 56         | OL126784       | 87         |                |               |                |     |
| 650/65 |     |          | OL123746       | 56         | OL126784       | 87         | OL93558654     | 157           | OL70726243     | 212 |
| 710/60 |     |          |                |            | OL126784       | 87         |                |               | OL70727143     | 213 |
| 710/70 |     |          |                |            | OL126802       | 94         | OL93558742     | 183           |                |     |